



TECHNICAL SPECIFICATIONS

CUSTOM SKATEBOARD DESIGN

Customer: Lindsay Rogers
 Project: Hammerhead (80s Style)
 Date: 5/18/2026

KEY SPECIFICATIONS

Primary Dimensions	
Deck Width	10.50"
Wheelbase	16.00"
Thickness	0.438"
Nose Length	4.75"
Tail Length	6.00"
Concave & Rocker	
Concave Depth	0.350"
Concave Type	TUB
Flat Center Width	4.00"
Rocker / Camber	0.000"
Kicktail Profiles	
Kick Profile Type	STANDARD
Nose Kick Angle	10.0°
Nose Kick Radius	6.00"
Tail Kick Angle	18.0°
Tail Kick Radius	5.00"
Shape Tapering	
Nose Tip Width	4.67"
Tail Tip Width	6.60"
Nose Shape Ratio	1.80
Tail Shape Ratio	3.10





PERSPECTIVE VIEWS




TOP VIEW




BOTTOM VIEW



SIDE VIEW



TOP VIEW



SIDE VIEW

- NOTES:**
1. DECK CONSTRUCTION - 7 PLYS HARD MAPLE VENEER.
 2. ROUND ALL EDGES TO 1/8" RADIUS.
 3. CONCAVE TYPE: TUB DEPTH: 0.350".
 4. KICK PROFILE: STANDARD.
 5. TRUCK HOLE PATTERN: OLD SCHOOL.

ALL DIMENSIONS ARE IN INCHES UNLESS OTHERWISE NOTED.


TOLERANCES:

LENGTHS: $\pm 1/16"$ RADIAL: $\pm 1/16"$
HOLES: $+1/16", -0"$ ANGULAR: $\pm 2"$

HAMMERHEAD (80S STYLE)

Designed with LindzCAD | 5/18/2026
Concave: TUB | 7 Ply | Thickness: 0.4375"

SECTION A-A





DETAILED PARAMETERS

Specification	Value
Board Shape	
Nose Width	10.500"
Mid Board Width	10.500"
Mid Board Width Position	0.000"
Tail Width	10.500"
Wheelbase	16.000"
Nose Length	4.750"
Tail Length	6.000"
Nose Kick Angle	10.0°
Tail Kick Angle	18.0°
Nose Shape Ratio	1.80
Nose Wide Point Distance	12.875"
Nose Tip Width	4.67"
Nose Tip Width Fillet	0.37"
Nose Tip Rounding	0.0000"
Tail Shape Ratio	3.10
Tail Wide Point Distance	0.000"
Tail Tip Width	6.60"
Tail Tip Width Fillet	0.25"
Tail Tip Rounding	0.0000"
Thickness	0.4375"
Advanced Shape Controls	
Advanced Shape Enabled	YES
Nose Indent Length	3.25"
Nose Indent Depth	8.50"
Nose Indent Width	8.50"
Nose Corner Chamfer	1.13"
Nose Chamfer Angle	33.0°
Nose Tip Scoop	0.13"
Nose Tip Rounding (Adv)	0.0000"
Tail Indent Length	2.25"
Tail Indent Depth	16.75"

DETAILED PARAMETERS (continued)



Specification	Value
Tail Indent Width	8.50"
Tail Corner Chamfer	1.38"
Tail Chamfer Angle	32.0°
Tail Tip Scoop	0.13"
Tail Tip Rounding (Adv)	0.0000"
Concave	
Concave Depth	0.3500"
Concave Type	TUB
Flat Center Width	4.000"
Concave Center Position	0.000"
Nose Dist from Concave Center	7.000"
Tail Dist from Concave Center	0.000"
Nose Concave End	16.000"
Tail Concave End	10.125"
Concave Nose Kick	0.10"
Concave Nose Tip	0.00"
Concave Tail Kick	0.10"
Concave Tail Tip	0.00"
Kick Detail	
Kick Profile Type	STANDARD
Nose Kick Transition Pos	1.0625"
Nose Kick Transition Radius	6.00"
Flat Before Kick (Nose)	0.000"
Nose Kick Angle	10.0°
Nose Kick Arc	0.0°
Tail Kick Transition Pos	1.0625"
Tail Kick Transition Radius	5.00"
Flat Before Kick (Tail)	0.500"
Tail Kick Angle	18.0°
Tail Kick Arc	0.0°
Rocker & Camber	
Camber/Rocker Amount	0.000"



DETAILED PARAMETERS (continued)

Specification	Value
Camber/Rocker Length	20.00"
Camber/Rocker Offset	0.00"
Drop Deck	
Drop Enabled	NO
Drop Depth	0.000"
Platform Length	10.00"
Drop Angle	45.0°
Drop Radius (Smoothness)	1.00"

GET IN TOUCH

A person in a hoodie and jeans is skateboarding on a concrete ledge in a modern building. The scene is dimly lit, with a blue tint. The person is in mid-air, performing a trick. The background shows architectural details like columns and a staircase.

LindzCAD Software

Skateboard & Mold Design Software

Ski & Snowboard Design Software

Email: lindzcad1@gmail.com

SkateboardMolds.com

Website: www.skateboardmolds.com

Email: (Coming Soon)

Rhythm Technology Ltd.

Precision CNC Manufacturing

Website: www.rhythmcnc.com

Email: info@rhythmcnc.com

Social Media

YouTube: (To be provided)

Facebook: (To be provided)

Instagram: (To be provided)

TikTok: (To be provided)